Command Agents Research

Helen Lankester

hlankester@dra.hmg.gb
Defence Evaluation & Research Agency
United Kingdom Ministry of Defence



Structure

- Overview of CARE project
- Command Agent architecture
- Generic knowledge bases
- Terms of reference



What is a Command Agent?

- Software which represents the command and control decision-making of a command post
- Communicates with other command agents and entities via orders and reports
- Represented as an entity within a battlefield simulation
- Currently at battlegroup, brigade and div level



Command Agents Research (CARE)

- Multi-application, collaborative programme to share development costs of C2 Modelling
- Supports four Applied Research Packages, for training and operational analysis
- Produce generic Command Agent software
- Open Modular Approach
- Standard Interfaces
- Based on GeKnoFlexE Command Agent work



Command Agent Requirements

- Command and Control Representation
 - multiple levels and sub functions
 - scalable framework for use with different simulations
- User Interfaces
 - to develop, validate, control and monitor CAs
- Human Command Agent Interaction
 - overruling/modification, transfer of command
- Interaction with Simulations
 - magic moves, re-execution, rewind and fast forwarding
 - use of simulation models
- Generic Knowledge Bases
- Standards




Structure

- Overview of CARE project
- Command Agent architecture
- Generic knowledge bases
- Terms of reference









CA Knowledge Bases

- Domain knowledge
 - battlefield perception stored in an object structure
 - initialised with details of own forces
 - built up as the scenario progresses
- Problem-solving knowledge
 - tactics elicited from military experts
 - hierarchy of if-then rules grouped into tasks and used to make up knowledge sources
 - deterministic
 - invoked by reports, orders and wakeup messages







CA Architecture Overview Multiple **Command Agent** processes instances **Process 1** Process n (CA2) CAn (CA2 CAn Software Controller **Software Controller** generic **Mediating Proces** simulation specific **Simulation**


Structure

- Overview of CARE project
- Command Agent architecture
- Generic knowledge bases
- Terms of reference



Knowledge Bases

Existing knowledge bases are concept of operation dependent



 Command Agent Research Initiative to develop more scenario independent knowledge bases



Generic Knowledge

Knowledge which can be used:

- by one Command Agent within many scenarios
 - core knowledge which a Command Agent needs in any scenario
- by many types of Command Agent within one scenario
 - different echelons, sub-functions and sides can often use the same rules and domain knowledge structures



Developing Generic Knowledge

- Knowledge base development is focused on a specific scenario to constrain the problem space but more generally applicable rules are identified so that they can be reused in other scenarios
- Each sub-function of the different echelons and sides is developed by the same team so that commonality can be identified more easily
- Where possible data is passed as parameters to rules so that they are more generally applicable



Structure

- Overview of CARE project
- Command Agent architecture
- Generic knowledge bases
- Terms of reference



I. Simulated Battle Context of Command Decision Making



Level of Decision Representation

current knowledge base coverage

analysis development plan	ning management
The state of the s	

BDE	mission	Concept of Ops	planning	battle
	analysis	development		management

BN	mission	Concept of Ops	planning	battle
	analysis	development		management

increasing time cycle



Representation of Current Battle State

- Each Command Agent has its own private perception of the battlefield
- Stored in an object structure
- Initialised with details of own forces
- Built up as the scenario progresses from intelligence and situation reports - data fusion is eased by using unique IDs for each unit



Domain Knowledge

- Perceptions of own and enemy units
- Situation assessment
 - details of superior unit
 - capabilities and formation of subordinates
 - current activity
 - routes used
- Record of threat within surrounding terrain areas
 - enemy formations recognised
- Battle plans
 - time, primary location, units involved
- Battle assessments
 - perceived enemy strength and location, damage taken



Representation of Own & Enemy Battle Plans

- Own battle plan
 - the Command Agents work to a high level concept of operations which is embodied within their rule bases, e.g. attack or defend
 - battle plan objects are created dynamically by each Command Agent's rule base as required
- Enemy objectives
 - details of enemy activities are solely received through sensor and situation reports
 - reported information is disseminated up and down the command hierarchy
 - reported information is pieced together to identify enemy formations and the terrain areas they are moving through

II. Decision Process

- Assessment of current/future status
 - rules use current perception to determine action to be taken
 - limited future battle status prediction looks ahead to see where and when a Bde attack might be needed
- Decision actions
 - explicit orders are sent to lower echelons to implement decisions
- Dynamic/reactive decision making
 - Command Agents create battle plans dynamically as required within the overall (limited) concept of operations
- Doctrinal context
 - Command Agents maintain a record their current status in their domain knowledge base



III. Simulated Support to the Decision Process

- Sensor support
 - the Command Agent's perception of the enemy is entirely built up from sensor reports containing location, size and activity information
 - sensor reports do use a unique enemy ID
- Information operation activities
 - a Command Information System is simulated which provides updates on the location of friendly forces
 - friendly forces also send situation reports to their superiors



IV. Architectural Aspects

- Command levels at which live battle staffs can be used in the simulation
 - used for studies without any human interaction
 - human interaction facilities currently at prototype stage
 - used for automating OPFOR at Bn, Bde and Div levels
 - used for reducing controller workload by automating
 Bns controller would interface to trainees
- Required levels of fidelity
 - the level of fidelity of the lowest echelon of Command Agent must match the level of fidelity of the simulation
 - the higher echelon Command Agents will use information aggregated up the chain of command
 - cells within a command post are represented and explicit messages are sent over a skeleton comms network

UK STOW Command Agents HQs Human Controller !Controller ! Command Interface Agent **CCSIL** Command Command Command Agent Agent Agent **CCSIL** OpenSAF OpenSAF OpenSAF **OpenSAF**

V. Other Issues

- Adequacy of behavioural representation reactive to intelligent
- Maximising of setting/scenario independence
- Flexibility what should be represented? doctrine versus reality
- Controller support versus complete automation
- Knowledge representation techniques to fit each type of decision making to be modelled - hybrid system
- Decision traceability and VV&A
- Facilities to allow: explanation, overruling / modification of decisions, 'man in the loop', transfer of command, fast forward, rewind, after action review